

S1,S4

From: Shawn Ankeny shawn@ankenyarchitecture.com
 Subject: Best Monopoints
 Date: March 7, 2019 at 3:06 PM
 To: kim hiddleston Kstodd@sbcglobal.net, Tim Ciocarlan tim@capstoneconstruct.com
 Cc: Nora lapinrose1@aol.com

MONO POINTS
BRONZE

	TYPE	TYPE	TYPE	NITE STAR II™
	H8	H8A	H8B	
	TYPE			
	H8C			
PROJECT:				TYPE: CATALOG NUMBER: LAMP(S): NOTES:

CATALOG NUMBER LOGIC

Example

Blank	NSII	MR	9	BLW	12	11	360SL
-------	------	----	---	-----	----	----	-------

Material: Blank - Aluminum
 Series: NSII - Nite Star II™
 Source: MR - MR16
 Lamp: 0 - By Others
 Finish: Aluminum
 Lens Type: 12 - Soft Focus*
 Shielding: 11 - Honeycomb Baffle*
 Options: 360SL - 360SL™ Knuckle Mounting System

Finish

Powder Coat Color	Aluminum		Brass	
	Satin	Wrinkle	Machined	MAC
Bronze	BZP	BZW	Polished	POL
Black	BLP	BLW	Midique™	MIT
White (Gloss)	WHP	WHW		
Aluminum	SAP	—		
Verde	—	VER		

*Also available in Premium Finishes
 See submittal SUB-1439-00 for Premium Finishes*




NOTE:
 1) VERIFY FINISH WITH ARCHITECT /
 BUILDER PRIOR TO ORDERING.

LAMP DATA

BK No.	Lamp Watts	Description	Rated Life (hrs.)	Center Beam Candlepower	Beam Angle	Beam Type
1	20	ESX	4,000	4,000	12°	Spot
2	20	BAB	4,000	500	40°	Flood
3	35	FRB	5,000	7,600	12°	Spot
4	35	FRA	5,000	2,300	23°	Narrow Flood
5	35	FMW	5,000	1,100	40°	Flood
15	42	EYR	5,000	7,500	12°	Spot
16	42	EYS	5,000	2,600	25°	Narrow Flood
17	42	EYP	5,000	1,100	40°	Flood
6	50	EXT	5,000	9,800	13°	Spot
7	50	EXZ	5,000	3,200	28°	Narrow Flood
8	50	EXN	5,000	1,600	40°	Flood
9	50	FNV	5,000	700	60°	Wide Flood


OPTIONS

TYPE	TYPE	TYPE	TYPE
H8	H8A	H8B	H8C




BC6 (Recessed Box Cover)

- 5" Dia. Machined Canopy
- 7/8" Dia. Slip Hole for use with 1/2" I.P. Threaded Nipple



BC7 (Recessed Box Cover)


- 3 1/2" Dia. Machined Canopy
- 7/8" Dia. Slip Hole for use with 1/2" I.P. Threaded Nipple



MATERIAL
ALU

BC12 (Surface Box Cover)

- 4 1/4" Dia. Machined Canopy
- 7/8" Dia. Slip Hole for use with 1/2" I.P. Threaded Nipple




BC8 (Recessed Box Cover)

- 5" Sq. Machined Canopy
- 7/8" Dia. Slip Hole for use with 1/2" I.P. Threaded Nipple



BC9 (Recessed Box Cover)

- 3 1/2" Sq. Machined Canopy
- 7/8" Dia. Slip Hole for use with 1/2" I.P. Threaded Nipple



BC10 (Recessed Box Cover)


- 3" x 5" Machined Rectangular Canopy
- 7/8" Dia. Slip Hole for use with 1/2" I.P. Threaded Nipple

MATERIAL
ALU



BC11 (Surface Box Cover)

- 2 7/8" x 4 5/8" Machined Rectangular Canopy
- 7/8" Dia. Slip Hole for use with 1/2" I.P. Threaded Nipple



Tree Mounting Canopy




Surface Mounting Canopy



Tree Mounting




Surface Mounting




BC6 (Recessed Box Cover)

- 5" Dia. Machined Canopy
- 7/8" Dia. Slip Hole for use with 1/2" I.P. Threaded Nipple




BC7 (Recessed Box Cover)

- 3 1/2" Dia. Machined Canopy
- 7/8" Dia. Slip Hole for use with 1/2" I.P. Threaded Nipple



BC12 (Surface Box Cover)

- 4 1/4" Dia. Machined Canopy
- 7/8" Dia. Slip Hole for use with 1/2" I.P. Threaded Nipple




BC8 (Recessed Box Cover)

- 5" Sq. Machined Canopy
- 7/8" Dia. Slip Hole for use with 1/2" I.P. Threaded Nipple



BC9 (Recessed Box Cover)

- 3 1/2" Sq. Machined Canopy
- 7/8" Dia. Slip Hole for use with 1/2" I.P. Threaded Nipple



BC10 (Recessed Box Cover)

- 3" x 5" Machined Rectangular Canopy
- 7/8" Dia. Slip Hole for use with 1/2" I.P. Threaded Nipple



BC11 (Surface Box Cover)

- 2 7/8" x 4 5/8" Machined Rectangular Canopy
- 7/8" Dia. Slip Hole for use with 1/2" I.P. Threaded Nipple




MR-16 Halogen

NITE STAR II™

PROJECT:

TYPE:

SIDE VIEW



TYPE

H8

TYPE


H8A

TYPE


H8B

TYPE

H8C



180° Vertical adjustment
(Standard)



Horizontal Rotation
(Optional 360SL™ Knuckle)

SPECIFICATIONS

GreenSource Initiative™

Metal and packaging components are made from recycled materials. Manufactured using renewable solar energy, produced onsite. Returnable to manufacturer at end of life to ensure cradle-to-cradle handling. Packaging contains no chlorofluorocarbons (CFC's). Use of this product may qualify for GreenSource efficacy and recycling rebate(s). Consult www.bklighting.com/greensource for program.

Optional 360SL™ additionally provides biaxial source control with 360° horizontal rotation in addition to vertical adjustment.

Cap

Fully machined, 1" deep cutoff with flush mounted lens. Accommodates up to (2) lens or louver media.


Finish

StarGuard® (Pat. Pend.), a RoHS compliant, 15 stage chromate-free process cleans and conversion coats aluminum components prior to application of Class 'A' TGIC polyester powder coating. Brass components are available in powder coat or handcrafted metal finish.


Warranty

OPTIONS


TYPE	TYPE	TYPE	TYPE
H8	H8A	H8B	H8C




- BC6 (Recessed Box Cover)**
- 5" Dia. Machined Canopy
 - 7/8" Dia. Slip Hole for use with 1/2" I.P. Threaded Nipple




- BC7 (Recessed Box Cover)**
- 3 1/2" Dia. Machined Canopy
 - 7/8" Dia. Slip Hole for use with 1/2" I.P. Threaded Nipple




- BC12 (Surface Box Cover)**
- 4 1/4" Dia. Machined Canopy
 - 7/8" Dia. Slip Hole for use with 1/2" I.P. Threaded Nipple




- BC8 (Recessed Box Cover)**
- 5" Sq. Machined Canopy
 - 7/8" Dia. Slip Hole for use with 1/2" I.P. Threaded Nipple




- BC9 (Recessed Box Cover)**
- 3 1/2" Sq. Machined Canopy
 - 7/8" Dia. Slip Hole for use with 1/2" I.P. Threaded Nipple



- BC10 (Recessed Box Cover)**
- 3" x 5" Machined Rectangular Canopy
 - 7/8" Dia. Slip Hole for use with 1/2" I.P. Threaded Nipple



- BC11 (Surface Box Cover)**
- 2 7/8" x 4 5/8" Machined Rectangular Canopy
 - 7/8" Dia. Slip Hole for use with 1/2" I.P. Threaded Nipple



Tree Mounting Canopy



Surface Mounting Canopy



Tree Mounting



Surface Mounting